




Company Profile

Zhongshan Yihong Lighting Co., Ltd.

E-mail: hilda@yihonglighting.com

Wechat: +86 19200655679 / +86 13957948765

Web: www.yihonglighting.com



Company Introduction



Zhongshan Yihong Lighting Co., Ltd. specializes in outdoor decorative lighting, including waterproof outdoor LED light strings, solar-powered light strings, and RGB light strings. We offer C7, C9, G30, G40, G50, S14, and E26 light strings, as well as mini LED light strings. By deeply integrating industry chain resources and leveraging two core production bases—Zhongshan Yiwei Lighting Technology Co., Ltd. and Dongguan Honghai Optoelectronics Technology Co., Ltd.—we have established an integrated R&D, production, and sales service system.

We utilize a comprehensive range of automated equipment, encompassing plastic injection molding, wire and cable production, automatic lamp and bulb production, inspection, and packaging. We provide a comprehensive range of high-quality, high-standard outdoor light string products to customers worldwide. We hold multiple certifications, including ISO9001, ETL, UL, CE, and FCC.


We have secured numerous valuable clients, many of whom have become local distributors. Our products are sold to numerous countries and regions, including Europe, North America, South America, and the Middle East. We will continue to deepen technological innovation, strictly control product quality, and continuously expand our product line. We will create a bright future with our global customers by providing high-quality services and reliable lighting solutions.



Our Certifications



National high-tech, innovative and specialized small and medium-sized enterprises, with a complete and scientific quality management system, ISO9001, and also ETL, UL, CE, FCC, and other certifications, utility model patents, and more than 100 invention patents



Company production equipment



We utilize a comprehensive range of automated equipment, encompassing plastic injection molding, wire and cable production, automatic lamp and bulb production, inspection, and packaging.





Inspection and Packaging

We utilize a comprehensive range of automated equipment, encompassing plastic injection molding, wire and cable production, automatic lamp and bulb production, inspection, and packaging.

Solar powered Serices

01



Stick Into The Ground



Mounted On The Wall



Top Sale

G40-Solar powered 8 Modes

YIHONG
LIGHTING



无极11功能+遥控+充电

面板: 5V/500mA
电池: 2400mAh锂电

YWTP-01-7.622547

- Product Name: G40 Solar 25FT 25-Light (YWTP-01-7.622547)
- Specifications: 7.62 meters (25 lights/customizable)
- Functions: 8-function continuous light + wireless remote control + USB charging
- Solar panel button: 8 flashing modes
- Solar panel dimensions: 110x140mm
- Solar panel voltage and current: 5V 500mA 3W
- Battery voltage and capacity: 2400mAh lithium battery
- Material: Monocrystalline silicon
- Manufacturing process: PET lamination, frosted surface
- Battery capacity: 2400mAh
- Charge/discharge time: 6-8 hours/6-8 hours
- Charging type: USB or solar charging
- Base: E12 (customizable)
- Bulb type: G40 (customizable)
- Waterproof rating: IP44
- Lamp housing material: PP V2
- Lamp cord size: H03VH2-F2*0.5sqm copper-clad aluminum
- Input/output voltage: 3V
- Applications: Gardens, pool parties, cafes and restaurants, etc.

S14-kerosene bottle

YIHONG
LIGHTING



YWTP-03-81054



YWTP-06-81064



YWTP-04-81064



- Functions: 8 modes + remote control
- Solar panel button function: Switchable between 8 modes
- Solar panel dimensions: 85x105mm
- Battery voltage and capacity: 18650 lithium 3.7V 1200mAh
- Charge/discharge time: 6-8 hours / 6-8 hours
- Charge method: USB or solar
- Waterproof : IP65
- Light cord gauge: 0.2mm² outdoor-grade rubber-plastic cord
- Input/output voltage: 3V
- Remote control range: 8 meters, 360°
- Light string dimensions: 3-meter extension cord, 0.5-meter distance between lights

Solar powered LED String



04



Product Name: Solar Multifunctional Meteor Flame Light String, 7.5m, 15 Lights

Functions: 8 Modes + Remote Control

Solar Panel Button Function: Switchable between 8 Modes

Solar Panel Dimensions: 85x105mm

Battery Voltage and Capacity: 18650 Lithium 3.7V 1200mAh

Charge/Discharge Time: 6-8 hours / 6-8 hours

Charge Method: USB or Solar

Lamp Head Size: E12 (Customizable)

Waterproof Rating: IP65

Lamp Housing Material: PET

Lamp Cord Size: SPT 0.5mm²

Input/Output Voltage: 3V

Remote Control Range: 8m, 360°

Light String Dimensions: 1.7m Extension Cord, 0.4m

Distance Between Lights

05



Product Name: S14 Solar 14.67m 15-Light Single Strip Warm White LED String Light

Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing

Solar Panel Button Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing

Solar Panel Overall Dimensions: 211.5x133.3x35mm

Solar Panel Dimensions: 186x108mm (Monocrystalline Silicon)

Battery Voltage and Capacity: 18650 Lithium 3.7V 3600mAh

Charge/Discharge Time: 6-8 hours / 4-6 hours

Charging Method: USB or Solar

Lamp Head Size: E26 (Customizable)

Waterproof Rating: IP65

Lamp Housing Material: PET (Customizable PC Housing)

Lamp Cord Size: 2x20AWG 0.5A

Lamp Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 5V

Remote Control Range: 2 x AA Batteries, 8M, Wireless, 360°

06



Product Name: G45 Solar 48FT 15-LED RGB SMD LED Flashing Light String

Functions: 20 modes + 12 colors + voice control + RF wireless remote control

Solar panel button function: Switches between 20 modes and 12 colors

Solar panel dimensions: 211.5 x 133.3 x 35mm

Solar panel dimensions: 186 x 108mm (monocrystalline silicon)

Battery voltage and capacity: 18650 lithium 3.7V 3600mAh

Charge/discharge time: 6-8 hours / 4-6 hours

Charging method: USB or solar

Lamp head specifications: E27 (customizable)

Waterproof rating: IP65

Lamp housing material: PET (customizable PC housing)

Lamp cord specifications: 2 x 20AWG 0.5A

Lamp cord material: PVC + ABS + copper + steel

Input/output voltage: 5V

Remote control range: 2 x AA batteries, 8M, RF wireless, 360°

Solar powered LED String

07



Product Name: G40 Solar 25-Light Single Filament Warm White Bead Light String
Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing
Solar Panel Button Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing
Solar Panel Overall Dimensions: 211.5 x 133.3 x 35mm
Solar Panel Dimensions: 186 x 108mm (Monocrystalline Silicon)
Battery Voltage and Capacity: 18650 Lithium 3.7V 3600mAh
Charge/Discharge Time: 6-8 hours / 4-6 hours
Charging Method: USB or Solar
Lamp Head Size: E12 (Customizable)
Waterproof Rating: IP45
Lamp Housing Material: PET (Customizable PC Housing)
Lamp Cord Size: 2 x 20AWG 0.5A
Lamp Cord Material: PVC + ABS + Copper + Steel
Input/Output Voltage: 5V
Remote Control Range: 2 x AA Batteries, 8M, Wireless, 360°

08



Product Name: G40 Solar 48FT 25-LED RGB Plug-in Flashing Light String
Functions: 20 modes + 12 colors + voice control + RF wireless remote control
Solar panel button function: Switches between 20 modes and 12 colors
Solar panel dimensions: 211.5 x 133.3 x 35mm
Solar panel dimensions: 186 x 108mm (monocrystalline silicon)
Battery voltage and capacity: 18650 lithium 3.7V 3600mAh
Charge/discharge time: 6-8 hours / 4-6 hours
Charging method: USB or solar
Lamp head size: E12 (customizable)
Waterproof rating: IP45
Lamp housing material: PET (customizable PC housing)
Lamp cord size: 2 x 20AWG 0.5A
Lamp cord material: PVC + ABS + copper + steel
Input/output voltage: 5V
Remote control range: 2 x AA batteries, 8M, RF wireless, 360°

09



Product Name: C9 Solar 48FT 25-LED RGB Plug-in Flashing Light String
Functions: 20 modes + 12 colors + voice control + RF wireless remote control
Solar panel button function: Switches between 20 modes and 12 colors
Solar panel dimensions: 211.5 x 133.3 x 35mm
Solar panel dimensions: 186 x 108mm (monocrystalline silicon)
Battery voltage and capacity: 18650 lithium 3.7V 3600mAh
Charge/discharge time: 6-8 hours / 4-6 hours
Charging method: USB or solar
Lamp head size: E14 (customizable)
Waterproof rating: IP45
Lamp housing material: PET
Lamp cord size: 2 x 20AWG 0.5A
Lamp cord material: PVC + ABS + copper + steel
Input/output voltage: 5V
Remote control range: 2 x AA batteries, 8M, RF wireless, 360°

Solar powered LED String



Product Name: C7 Solar 48FT 25-LED RGB Plug-In Flashing Light String

Functions: 20 modes + 12 colors + voice control + RF wireless remote control

Solar panel button function: Switches between 20 modes and 12 colors

Solar panel dimensions: 211.5 x 133.3 x 35mm

Solar panel dimensions: 186 x 108mm (monocrystalline silicon)

Battery voltage and capacity: 18650 lithium 3.7V 3600mAh

Charge/discharge time: 6-8 hours / 4-6 hours

Charging method: USB or solar

Lamp head size: E12 (customizable)

Waterproof rating: IP45

Lamp housing material: PS (customizable)

Cord size: 2 x 20AWG 0.5A

Cord material: PVC + ABS + copper + steel

Input/output voltage: 5V

Remote control range: 2 x AA batteries, 8M, RF wireless, 360°



Product Name: S14 Solar 48FT 15-Light RGB + WW MBOX App Bluetooth Light String

Functions: 20 modes + 12 colors + Voice Control + MBOX App Control + 2.4G Remote Control

Solar Panel Button Function: Switches between 20 modes and 12 colors

Solar Panel Dimensions: 186*108mm (monocrystalline silicon)

Total Solar Panel Dimensions: 211.5x133.3x35mm

Battery Voltage and Capacity: 18650 Lithium 3.7V 3600mAh

Charge/Discharge Time: 6-8 hours / 4-6 hours

Charging Method: USB or Solar

Lamp Head Size: E26 (Customizable)

Waterproof Rating: IP65

Lamp Housing Material: PET (PC Housing Customizable)

Lamp Cord Size: 2*20AWG 0.5A

Lamp Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 5V

Control Method: MBOX App 2.4G Remote Control or Solar Button Control



Product Name: Solar 14-filament light, 8 meters, 10 lights

Functions: 8 modes + remote control

Solar panel button function: Switchable between 8 modes

Solar panel dimensions: 85x105mm

Battery voltage and capacity: 18650 lithium 3.7V 1200mAh

Charge/discharge time: 6-8 hours / 6-8 hours

Charge method: USB or solar

Waterproof rating: IP65

Light cord gauge: 0.2mm² outdoor-grade rubber-plastic cord

Input/output voltage: 3V

Remote control range: 8 meters, 360°

Light string dimensions: 3-meter extension cord, 0.5m between lights

Solar powered LED String

13



Product Name: C7 Solar 48FT 25-Light RGB MBOX App Bluetooth Light String

Functions: 20 modes + 12 colors + Voice Control + MBOX App Control + 2.4G Remote Control

Solar Panel Button Function: Switches between 20 modes and 12 colors

Solar Panel Overall Dimensions: 211.5 x 133.3 x 35mm

Solar Panel Dimensions: 186 x 108mm (Monocrystalline Silicon)

Battery Voltage and Capacity: 18650 Lithium 3.7V 3600mAh

Charge/Discharge Time: 6-8 hours / 4-6 hours

Charging Method: USB or Solar

Lamp Head Size: E12 (Customizable)

Waterproof Rating: IP45

Lamp Housing Material: PS (Customizable)

Lamp Cord Size: 2 x 20AWG 0.5A

Lamp Cord Material: PVC + ABS + Copper + Steel

Input/Output Voltage: 5V

Control Method: MBOX App 2.4G Remote Control or Solar Button Control

14



Product Name: S14 Ultrasonic Light String, 5 meters, 10 lights

Functions: 8 modes + remote control

Solar panel button function: Switchable between 8 modes

Solar panel dimensions: 85x105mm

Battery voltage and capacity: 18650 lithium 3.7V 1200mAh

Charge/discharge time: 6-8 hours / 6-8 hours

Charge method: USB or solar

Waterproof rating: IP44

Light cord specifications: H05VV-F2*0.75 sq. inch wire (customizable)

Input/output voltage: 3V

Remote control range: 8 meters, 360°

Light string dimensions: Male plug 0.25m from first bulb, 0.5m between bulbs, female plug 0.25m from last bulb

15



Product Name: Solar 15-LED C7 Diamond Flower Housing 3-Wire Colorful Light String

Functions: Bluetooth app + phone audio pickup, compatible with infrared remote control

Solar Panel Button Function: Switchable between 9 modes and 9 colors

Solar Panel Dimensions: 95*110mm

Battery Voltage and Capacity: 18650 Lithium 3.7V 3600mAh

Charge/Discharge Time: 6-8 hours / 4-6 hours

Charge Method: USB or Solar

Lamp Head Size: E12 (customizable)

Waterproof Rating: IP45

Lamp Housing Material: PS (customizable)

Lamp Cord Size: 2*20AWG 0.5A

Lamp Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 5V

Solar powered LED String

16



Product Name: Solar Infinite RGBW Hat Style with Male and Female Plugs, Connectable
Functions: 8 Modes + Remote Control
Solar Panel Button Function: Switchable between 8 Modes
Solar Panel Dimensions: 85x105mm
Battery Voltage and Capacity: 18650 Lithium 3.7V 1200mAh
Charge/Discharge Time: 6-8 hours / 6-8 hours
Charge Method: USB or Solar
Waterproof Rating: IP65
Light Cord Size: 0.5mm² Copper Wire, 5.5mm OD
Input/Output Voltage: 3V
Remote Control Range: 8m, 360°
Light String Dimensions: 3m Extension Cord, 0.5m Distance Between Lights

17



Product Name: 5V Solar Eight-Function 200-Light Copper Wire Light String
Functions: Eight modes + Timer (8/16 hours) + 4 colors
Solar Panel Button Function: Switch between 8 modes and 4 colors
Solar Panel Size: 65*70mm (monocrystalline silicon)
Battery Voltage and Capacity: 1.2V, 400-800mAh
Charge/Discharge Time: 6-8 hours / 4-6 hours
Charging Method: Solar
Lamp Head: Copper Wire
Waterproof Rating: IP45
Solar Housing Material: ABS
Lamp Cord Size: 2*20AWG, 0.5A
Lamp Cord Material: Copper + Steel
Input/Output Voltage: 3V
Control Method: Solar Button Control

18



Product Name: S14 Solar 48FT 15-Light Single-Color Warm White SMD LED Light String
Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing
Solar Panel Button Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing
Solar Panel Overall Dimensions: 211.5x133.3x35mm
Solar Panel Dimensions: 186x108mm (Monocrystalline Silicon)
Battery Voltage and Capacity: 18650 Lithium 3.7V 3600mAh
Charge/Discharge Time: 6-8 hours / 4-6 hours
Charging Method: USB or Solar
Lamp Head Size: E26 (Customizable)
Waterproof Rating: IP65
Lamp Housing Material: PET (Customizable PC Housing)
Lamp Cord Size: 2x20AWG 0.5A
Lamp Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 5V
Remote Control Range: 2 x AA Batteries, 8M, Wireless, 360°

Solar powered LED String



Product Name: G40 Solar 9.5m 25-LED Single-Color Warm White Plug-In Light String
Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing
Solar Panel Button Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing
Solar Panel Dimensions: 95*110mm (Monocrystalline Silicon)
Battery Voltage and Capacity: 18650 Lithium 3.7V 1200mAh
Charge/Discharge Time: 6-8 hours / 4-6 hours
Charge Method: USB or Solar
Lamp Base: E12
Waterproof Rating: IP44
Lamp Housing Material: Transparent PET
Cord Size: 2*20AWG 0.5A Flat Wire
Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 5V
Remote Control Range: 2M, Infrared Linear-to-Point Control



Product Name: G40 Solar 9.5m 25-LED Single-Color Warm White Plug-In Light String
Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing
Solar Panel Button Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing
Solar Panel Dimensions: 95*110mm (Monocrystalline Silicon)
Battery Voltage and Capacity: 18650 Lithium 3.7V 1200mAh
Charge/Discharge Time: 6-8 hours / 4-6 hours
Charging Method: USB or Solar
Lamp Head Size: E12
Waterproof Rating: IP44
Lamp Housing Material: Frosted PET
Cord Size: 2*20AWG 0.5A Flat Wire
Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 5V
Remote Control Range: 2M, Infrared Remote Control with Linear-to-Point Control



Product Name: G40 Solar 9.5m 25-LED Single-Color Warm White Plug-In Light String
Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing
Solar Panel Button Functions: Warm Light/Fast Flash - Steady On - Fast Flash - Breathing
Solar Panel Dimensions: 95*110mm (Monocrystalline Silicon)
Battery Voltage and Capacity: 18650 Lithium 3.7V 1200mAh
Charge/Discharge Time: 6-8 hours / 4-6 hours
Charge Method: USB or Solar
Lamp Base: E12
Waterproof Rating: IP44
Lamp Housing Material: Matte White PET
Cord Size: 2*20AWG 0.5A Flat Wire
Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 5V
Remote Control Range: 2M, Infrared Linear-to-Point Control

22



Product Name: G40 Solar 9.5m 25-Light Colorful Flashing Plug-In Light String

Functions: Self-Flash/Fast Flash/Slow Flash

Solar Panel Button Function: On/Off

Solar Panel Dimensions: 95*110mm (Monocrystalline Silicon)

Battery Voltage and Capacity: 18650 Lithium 3.7V 1200mAh

Charge/Discharge Time: 6-8 hours/4-6 hours

Charge Method: USB or Solar

Lamp Base: E12

Waterproof Rating: IP44

Lamp Housing: Frosted PET

Cord Size: 2*20AWG 0.5A Flat Wire

Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 5V

Remote Control Range: No Remote

23



VW/TP-24

Product Name: G40 Solar 9.5m 25-Light Colorful Flashing Plug-In Light String

Functions: Self-Flash/Fast Flash/Slow Flash

Solar Panel Button Function: On/Off

Solar Panel Size: 95*110mm (Monocrystalline Silicon)

Battery Voltage and Capacity: 3.7V 1200mAh

Charge/Discharge Time: 6-8 hours/4-6 hours

Charging Method: USB or Solar

Lamp Head Size: E12

Waterproof Rating: IP44

Lamp Housing Material: Transparent PET

Cord Size: 2*20AWG 0.5A Flat Wire

Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 5V

Remote Control Range: No Remote

24



Product Name: 6-Piece Solar Transparent Tube Warm White + Four-Color Infinite Firefly Light

Product Color: Warm Light/Red, Green, Blue, Warm White

Solar Panel Button Functions: On/Off/8-Hour Timer/Auto Cycle/Wave/Flicker/Flicker/Slow Flash/Breathing/Fast Flash/Still On

Solar Panel Size: 50*50mm (Monocrystalline Silicon)

Battery Voltage and Capacity: 2V 600mAh

Charge/Discharge Time: 6-8 Hours/4-6 Hours

Charging Method: Solar

Globe Size: 1.8mm Round

Waterproof Rating: IP44

Casing Material: PET Matte White

Cord Size: 2*26AWG Copper Wire + Steel

Cord Material: ABS + Stainless Steel Tube + Transparent Tube

Input/Output Voltage: 5V

Remote Control Range: No Remote

Solar powered LED String



Product Name: Solar 3VG80 10-Light RGBW Four-Color Copper Wire Star Light String
Functions: Single-Color Red, Green, Yellow, and Blue
Solar Panel Button Function: On/Off
Solar Panel Dimensions: 95*110mm (Monocrystalline Silicon)
Battery Voltage and Capacity: 18650 Lithium 3.7V 1200mAh
Charge/Discharge Time: 6-8 Hours/4-6 Hours
Charge Method: USB or Solar
Lamp Head Specifications: E265
Waterproof Rating: IP65
Lamp Housing Material: Transparent PETT
Lamp Cord Size: 2*20AWG 0
Lamp Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 5V
Remote Control Range: Four-Function Remote Control



Product Name: 3V Solar 8-function Light String, 8 meters (including 3-meter extension cable), 10 lights spaced 0.5 meters apart, S14/E17, warm white, black leather cord, no remote control.
Function: Infinite, 8 functions:
Solar Panel Button: On/Off
Solar Panel Dimensions: 95*110mm (monocrystalline silicon)
Battery Voltage and Capacity: 18650 Lithium 3.7V, 1200mAh
Charge/Discharge Time: 6-8 hours/4-6 hours
Charging Method: USB or Solar
Lamp Base: E17
Waterproof Rating: IP44
Lamp Housing Material: Transparent PET
Cord Size: 2*20AWG
Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 3V



Product Name: USB 5V, 3m spacing, 0.2m spacing, 15-light G60 internal texture white light guide, PET RGBWW IR AAP black leather cord light string
Product Color: RGBWW
Control Mode: USB button + IR remote control + Bluetooth app with hundreds of modes
Adapter Specifications: USB 5V
Power: 4.5W
Lamp Housing Specifications: G60 internal texture
Waterproof Rating: IP44
Lamp Housing Material: PET (customizable)
Lamp Cord Specifications: 7*0.14mm
Lamp Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: USB 5V
Control Method: IR remote control + mobile Bluetooth app control

02

LED String Lights Adapter Series



Adapter Series LED String Lights



YWGD-65-101019

Product Name: E27/E26 S14 Ultrasonic Light String

Specifications: 10 lights per 10 meters (customizable)

Function: Continuous Light

Specifications: 100-220V (customizable)

Lamp Base: E26/E27 (customizable)

Lamp Housing: S14 (customizable)

Waterproof Rating: IP44

Lamp Housing Material: PET (PC housing available for customization)

Lamp Cord: H05VV-F2*0.75 sq. ft.

Input/Output Voltage: 100-240V/12V

Applications: Gardens, pool parties, cafes, restaurants, etc.



01



Product Name: S14 Adapter-Based 48FT 15-LED RGB + WW SMD LED Controlled Flashing Light String
Specifications: 48ft 15-LED / Customizable
Functions: 20 Programs + 12 Colors + Voice Control + RF Wireless Remote Control
Control Box Dimensions: 7.7*4.2*2.3cm
Adapter Specifications: EU 12V (Customizable)
Lamp Base Specifications: E26 (Customizable)
Lamp Housing Specifications: S14 (Customizable)
Waterproof Rating: IP65
Lamp Housing Material: PET (PC Housing Customizable)
Lamp Cord Specifications: 2*20AWG 0.5A
Lamp Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 100-240V/12V
Remote Control Range: 2 x AA Batteries, 8M, RF Wireless, 360°
Applications: Gardens, Pool Parties, Cafes, Restaurants, etc.

02



Product Name: S14 Adapter, 48ft, 15-Light RGB + WW Tuya App WiFi Bluetooth Light String
Specifications: 48ft, 15-Light (Customizable)
Functions: 20 Programs + 12 Colors + Voice Control + Tuya App Control
Control Box Dimensions: 7.7*4.2*2.3cm
Adapter Specifications: EU 12V (Customizable)
Lamp Base Specifications: E26 (Customizable)
Lamp Housing Specifications: S14 (Customizable)
Waterproof Rating: IP65
Lamp Housing Material: PET (PC Housing Customizable)
Lamp Cord Specifications: 2*20AWG 0.5A
Lamp Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 100-240V/12V
Control Method: Tuya App Remote Control or Controller
Function Keys
Applications: Gardens, Pool Parties, Cafes, Restaurants, etc.

03



Product Name: G45 Adapter-Based 48FT 15-LED RGB + WW SMD LED Controlled Flashing Light String
Specifications: 48ft 15-LED (customizable)
Functions: 20 programs + 12 colors + voice control + RF wireless remote control
Control Box Dimensions: 7.7*4.2*2.3cm
Adapter Specifications: EU 12V (customizable)
Lamp Base Specifications: E27 (customizable)
Lamp Housing Specifications: G45 (customizable)
Waterproof Rating: IP65
Lamp Housing Material: PET (customizable PC housing)
Lamp Cord Specifications: 2*20AWG 0.5A
Lamp Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 100-240V/12V
Remote Control Range: 2 x AA batteries, 8M, RF wireless, 360°
Applications: Gardens, pool parties, cafes, restaurants, etc.

04



Product Name: G40 Adapter-Based 48FT 25-LED RGB Plug-In Flashing Light String
Specifications: 48ft 25-LED (Customizable)
Functions: 20 programs + 12 colors + voice control + RF wireless remote control
Control Box Dimensions: 7.7*4.2*2.3cm
Adapter Specifications: EU 12V (Customizable)
Lamp Base Specifications: E12 (Customizable)
Lamp Housing Specifications: G40 (Customizable)
Waterproof Rating: IP45
Lamp Housing Material: PET (PC housing available for customization)
Lamp Cord Specifications: 2*20AWG 0.5A
Lamp Cord Material: PVC+ABS+Copper
Input/Output Voltage: 100-240V/12V
Remote Control Range: 2 x AA batteries, 8M, RF wireless, 360°
Applications: Gardens, pool parties, cafes, restaurants, etc.

05



Product Name: C7 Adapter-Based 48FT 25-LED RGB Plug-In Flashing Light String
Specifications: 48ft 25-LED (Customizable)
Functions: 20 programs + 12 colors + voice control + RF wireless remote control
Control Box Dimensions: 7.7*4.2*2.3cm
Adapter Specifications: EU 12V (Customizable)
Lamp Base Specifications: E12 (Customizable)
Lamp Housing Specifications: C7 (Customizable)
Waterproof Rating: IP45
Lamp Housing Material: PS (Customizable)
Lamp Cord Specifications: 2*20AWG 0.5A
Lamp Cord Material: PVC+ABS+Copper
Input/Output Voltage: 100-240V/12V
Remote Control Range: 2 x AA batteries, 8M, RF wireless, 360°
Applications: Gardens, pool parties, cafes, restaurants, etc.

06



Product Name: C9 Adapter-Based 48FT 25-LED RGB Plug-In Flashing Light String
Specifications: 48ft 25-LED (Customizable)
Functions: 20 programs + 12 colors + voice control + RF wireless remote control
Control Box Dimensions: 7.7*4.2*2.3cm
Adapter Specifications: EU 7.5V (Customizable)
Lamp Base Specifications: E14 (Customizable)
Lamp Housing Specifications: C9 (Customizable)
Waterproof Rating: IP45
Lamp Housing Material: PS (Customizable)
Lamp Cord Specifications: 2*20AWG 0.5A
Lamp Cord Material: PVC+ABS+Copper
Input/Output Voltage: 100-240V/12V
Remote Control Range: 2 x AA batteries, 8M, RF wireless, 360°
Applications: Gardens, pool parties, cafes, restaurants, etc.

07



Product Name: G45 Adapter-Based 48FT 15-Light RGB Tuya App WiFi Bluetooth Light String

Specifications: 48ft 15-light (customizable)

Functions: 20 programs + 12 colors + voice control + Tuya app control

Control Box Dimensions: 7.7*4.2*2.3cm

Adapter Specifications: EU 12V (customizable)

Lamp Base Specifications: E27 (customizable)

Lamp Housing Specifications: G45 (customizable)

Waterproof Rating: IP65

Lamp Housing Material: PET (customizable)

Lamp Cord Specifications: 2*20AWG 0.5A

Lamp Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 100-240V/12V

Control Method: Tuya app remote control or controller function key control

Applications: Gardens, pool parties, cafes, restaurants, etc.

08



Product Name: G40 Adapter-Based 48-foot 25-light RGB Tuya App WiFi Bluetooth Light String

Specifications: 48 feet, 25 lights (customizable)

Functions: 20 programs + 12 colors + voice control + Tuya app control

Control Box Dimensions: 7.7*4.2*2.3cm

Adapter Specifications: EU 12V (customizable)

Lamp Base Specifications: E12 (customizable)

Lamp Housing Specifications: G40 (customizable)

Waterproof Rating: IP44

Lamp Housing Material: PS (customizable)

Lamp Cord Specifications: 2*20AWG 0.5A

Lamp Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 100-240V/12V

Control Method: Tuya app remote control or controller function key control

Applications: Gardens, pool parties, cafes, restaurants, etc.

09



Product Name: C9 Adapter-Based 48-foot 25-light RGB Tuya App WiFi Bluetooth Light String

Specifications: 48 feet, 25 lights (customizable)

Functions: 20 programs + 12 colors + voice control + Tuya app control

Control Box Dimensions: 7.7*4.2*2.3cm

Adapter Specifications: EU 12V (customizable)

Lamp Base Specifications: E14 (customizable)

Lamp Housing Specifications: C9 (customizable)

Waterproof Rating: IP44

Lamp Housing Material: PS (customizable)

Lamp Cord Specifications: 2*20AWG 0.5A

Lamp Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 100-240V/12V

Control Method: Tuya app remote control or controller function key control

Applications: Gardens, pool parties, cafes, restaurants, etc.



Product Name: 18mm Small Round Globe Light String with Warm White Leather Cord

Specifications: 100 Lights per 10m (Customizable)

Functions: Steady-on or Eight-Function Mode (Optional)

Control Box Dimensions: USB Button Controls Eight Functions

Adapter Specifications: USB 5V

Lamp Head Specifications: /

Lamp Housing Specifications: 18mm Small Round Globe Lights

Waterproof Rating: IP44

Lamp Housing Material: PET (Customizable)

Lamp Cord Specifications: 2 x 26AWG 0.5A

Lamp Cord Material: PVC + ABS + Copper

Input/Output Voltage: USB 5V

Control Method: USB Steady-on or USB Eight-Function Mode

Applications: Gardens, Pool Parties, Cafes and Restaurants, Outdoor Camping Decorations, etc.



Product Name: 15mm Small Round RGBWW Colorful Light String with Remote Control and Bluetooth App Control

Specifications: 15 meters (100 lights) / Customizable

Functions: 100 modes + 12 colors + Voice Control + 360°

2.4G Remote Control (10-20 meters) + Mobile App Control

Control Box Size: USB Control Box

Adapter Specifications: USB 5V

Power Consumption: 4.5W

Lamp Housing Specifications: 15mm white round bulb (customizable)

Waterproof Rating: IP65

Lamp Housing Material: PET (customizable)

Lamp Cord Specifications: 2 x 26AWG 0.5A flat wire

Lamp Cord Material: PVC + ABS + Copper

Input/Output Voltage: USB 5V

Control Method: 2.4G Remote Control + Mobile Bluetooth App Control

Applications: Gardens, pool parties, cafes, restaurants, outdoor camping decorations, etc.



Product Name: Curtain Hook Copper Wire Light String

Specifications: 10 pieces/5 meters

Functions: RGBWW four-color

Control Box Size: USB 5V, eight-function control

Adapter Specifications: USB 5V

Waterproof Rating: IP65

Light Cord Specifications: 2 x 26AWG, 0.5A

Light Cord Material: PVC + ABS + Copper

Input/Output Voltage: USB 5V

Control Method: USB eight-function button + remote control

Applications: Indoor curtain decoration, etc.

13



Product Name: S14 Adapter 48FT 15-Light Single-Color Warm White Light String

Specifications: 48FT

Function: Warm white light (customizable color temperature)

Control Mode: Single-color, no adjustment or remote control

Adapter Specifications: EU 12V (customizable)

Lamp Base Specifications: E26 (customizable)

Lamp Housing Specifications: S14 (customizable)

Waterproof Rating: IP65

Lamp Housing Material: PET (customizable)

Lamp Cord Specifications: 2 x 26AWG 0.5A

Lamp Cord Material: PVC + ABS + Copper + Steel

Input/Output Voltage: 100-240V/12V

Control Mode: Plug-in, single-color, steady-on, no switching mode

Applications: Gardens, pool parties, cafes, restaurants, etc.

14



Product Name: Copper Wire Hemp Rope/Candy Braid String Light String

Specifications: 3.2m, 10 lights/customizable

Function: Warm white light (customizable color temperature)

Control Box: Powered by a battery pack

Battery Specifications: 3 AA batteries

Lamp Base: E26 (customizable)

Lamp Housing: A19 (customizable)

Waterproof Rating: IP44

Lamp Housing Material: PET (customizable)

Lamp Cord: 2 x 26AWG copper coin lights, 0.5A

Lamp Cord Material: Hemp rope + PVC + ABS + copper + steel

Input/Output Voltage: 4.5V

Control Method: Battery pack toggle switch

Applications: Gardens, pool parties, cafes, restaurants, camping, etc.

15



Product Name: G40 Crystal Chandelier, 7.5m, 25-Light RGBWW Colorful Light String

Specifications: 7.5m, 25-Light String (Customizable)

Functions: Hundreds of Modes + 12 Colors + Voice Control + 360° 2.4G Remote Control (10-20M) + Mobile App Control

Control Box Size: USB Control Box

Adapter Size: USB 5V

Lamp Head Size: E17 (Customizable)

Lamp Housing Size: G40 (Customizable)

Waterproof Rating: IP44

Lamp Housing Material: ABS (Customizable)

Lamp Cord Size: 3*26AWG 0.5A Flat Wire

Lamp Cord Material: PVC + ABS + Copper + Steel

Input/Output Voltage: USB 5V

Control Method: 2.4G Remote Control + Mobile Bluetooth App Control

Applications: Gardens, Pool Parties, Cafes and Restaurants, Outdoor Camping, etc.

Adapter LED String

16



Product Name: S14 Adapter 48FT 15-Light Single-Color Warm White Infinite Pin Light String

Specifications: 48FT/Customizable

Function: Warm white light (customizable color temperature)

Control Mode: Single-color, no control or remote control

Adapter Specifications: EU 12V (customizable)

Lamp Base Specifications: E26 (customizable)

Lamp Housing Specifications: S14 (customizable)

Waterproof Rating: IP65

Lamp Housing Material: PET (customizable)

Lamp Cord Specifications: 2*26AWG 0.5A

Lamp Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 100-240V/12V

Control Mode: Plug-in, single-color, steady-on, no switching mode

Applications: Gardens, pool parties, cafes, restaurants, etc.

17



Product Name: S14 Adapter-Based 48FT 15-LED RGB + WW SMD LED Controlled Flashing Light String

Specifications: 48ft 15-LED (customizable)

Functions: 20 programs + 12 colors + voice control + RF wireless remote control

Control Box Dimensions: 7.7*4.2*2.3cm

Adapter Specifications: EU 12V (customizable)

Lamp Base Specifications: E27 (customizable)

Lamp Housing Specifications: G45 (customizable)

Waterproof Rating: IP65

Lamp Housing Material: PET (customizable PC housing)

Lamp Cord Specifications: 2*20AWG 0.5A

Lamp Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 100-240V/12V

Remote Control Range: 2 x AA batteries, 8M, RF wireless, 360°

Applications: Gardens, pool parties, cafes, restaurants, etc.

18



Product Name: 24V 2.5A 30m 72-LED 5054 RGB Eaves Light String

Specifications: 30m 72-LED / Customizable

Functions: Voice Control / Remote Control / Mobile App

Control Box Dimensions: 7.7*3.2*1.6cm

Adapter Specifications: EU 24V (Customizable)

Waterproof Rating: IP65

Lamp Housing Material: PET

Cord Size: 3*26AWG

Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 100-240V/24V

Remote Control Range: 8m, 360°

Application: Eaves Decoration

19




Product Name: S14 Adapter 48FT 15-LED RGB + WW SMD Two-Wire Two-Pin Plug Control Flashing Light String
Specifications: 48ft 15-LED/Customizable
Functions: 20 Programs + 12 Colors + Voice Control + RF Wireless Remote Control
Control Box Dimensions: 7.7*4.2*2.3cm
Adapter Specifications: EU 12V (Customizable)
Lamp Base Specifications: E26 (Customizable)
Lamp Housing Specifications: S14 (Customizable)
Waterproof Rating: IP65
Lamp Housing Material: PET (PC Housing Customizable)
Lamp Cord Specifications: 2*20AWG 0.5A
Lamp Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 100-240V/12V
Remote Control Range: 2 x AA Batteries, 8M, RF Wireless, 360°
Applications: Gardens, Pool Parties, Cafes, Restaurants, etc.

20



Product Name: S14 Adapter 48FT 15-LED RGB + WW SMD Three-Wire Four-Pin Controlled Flashing Light String
Specifications: 48ft 15-LED / Customizable
Functions: 20 Programs + 12 Colors + Voice Control + RF Wireless Remote Control + Horse Racing
Control Box Dimensions: 7.7*4.2*2.3cm
Adapter Specifications: EU 12V (Customizable)
Lamp Base Specifications: E26 (Customizable)
Lamp Housing Specifications: S14 (Customizable)
Waterproof Rating: IP65
Lamp Housing Material: PET (PC Housing Customizable)
Lamp Cord Specifications: 2*20AWG 0.5A
Lamp Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 100-240V/12V
Remote Control Range: 2 x AA Batteries, 8M, RF Wireless, 360°
Applications: Gardens, Pool Parties, Cafes, Restaurants, etc.

21



Product Name: S14 Adapter-Transparent 48-foot 15-lamp TUYA App-Controlled Light String with WW+WW+CW Tri-Color Temperatures
Specifications: 48 feet/15 lights/customizable
Function: WW+WW+CW Tri-Color Temperature Graffiti App-Controlled Flashing Light String
Control Box Dimensions: 7.7*4.2*2.3cm
Adapter Specifications: EU 12V (customizable)
Lamp Base Specifications: E26 (customizable)
Lamp Housing Specifications: S14 (customizable)
Waterproof Rating: IP65
Lamp Housing Material: PET (customizable)
Lamp Cord Specifications: 2*20AWG 0.5A
Lamp Cord Material: PVC+ABS+Copper+Steel
Input/Output Voltage: 100-240V/12V
Remote Control Range: No remote required
Applications: Gardens, pool parties, cafes, restaurants, outdoor camping, etc.

22



Product Name: Adapter for Kerosene Bottle Filament Lamp

Specifications: 8m (10 lamps), 3m extension cord, lamp distance 0.5m

Function: Continuous Light

Adapter Specifications: EU 5V (Customizable)

Lamp Base Specifications: E26

Lamp Housing Specifications: S14

Waterproof Rating: IP44

Lamp Housing Material: PET

Lamp Cord Specifications: 0.5mm² copper wire, 5.5mm outer diameter

Input/Output Voltage: 100-240V/5V

Remote Control Range: No remote control required

Applications: Gardens, pool parties, cafes, restaurants, etc.

23



Product Name: G40 Adapter 15m 25-LED RGB Colorful

Fast/Slow Flashing Light String

Specifications: 15m 25-LED RGB Colorful Flashing

Function: RGB Colorful Flashing

Adapter Specifications: EU 5V (Customizable)

Lamp Base Specifications: E12 (Customizable)

Lamp Housing Specifications: G40 (Customizable)

Waterproof Rating: IP44

Lamp Housing Material: Transparent PET

Lamp Cord Specifications: 2 x 20AWG 0.5A Flat Wire


Lamp Cord Material: PVC + ABS + Copper + Steel

Input/Output Voltage: 100-240V/5V

Remote Control Range: No remote control required

Applications: Gardens, pool parties, cafes, restaurants, etc.

24



Product Name: G40 Adapter 15m 25-LED RGB Colorful

Fast/Slow Flashing Light String

Specifications: 15m 25-LED RGB Colorful Flashing

Function: RGB Colorful Flashing

Adapter Specifications: EU 5V (Customizable)

Lamp Base Specifications: E12 (Customizable)

Lamp Housing Specifications: G40 (Customizable)

Waterproof Rating: IP44

Lamp Housing Material: Frosted PET

Lamp Cord Specifications: 2 x 20AWG 0.5A Flat Wire

Lamp Cord Material: PVC + ABS + Copper + Steel

Input/Output Voltage: 100-240V/5V

Remote Control Range: No remote control required

Applications: Gardens, pool parties, cafes, restaurants, etc.

Adapter LED String

25



Product Name: USB 5V Bluetooth Music Aurora Moon Mood Light

Specifications: 14.5*14.5*10.3 cm

Functions: Aurora + Moonlight, Single-Color Gradient + Two-Color Gradient + Single-Color Red/Blue/White/Green/Moon Switching + Bluetooth Music Playback + USB Flash Drive Music Playback

Waterproof Rating: Not Waterproof

Material: ABS + PC

Control Mode: Push-Button

Power Supply: USB Plug-in Charging

Input/Output Voltage: 5V

Remote Control Range: Not Available

Applications: Bedrooms, Living Rooms, etc.

26



Product Name: G40 Adapter DC24V, 30m, 50-LED, Single-Filament Warm White Steady-On Light String

Specifications: 30m, 50-LED, Warm White

Function: Warm White Steady-On

Adapter Specifications: EU 24V (Customizable)

Lamp Base Specifications: E12 (Customizable)

Lamp Housing Specifications: G40

Waterproof Rating: IP44

Lamp Housing Material: PET Matte White

Lamp Cord Specifications: 2 x 20AWG 0.5A Flat Wire

Lamp Cord Material: PVC + ABS + Copper + Steel

Input/Output Voltage: 100-240V/24V

Remote Control Range: No remote control required

Applications: Camping, Gardens, Pool Parties, Cafes, Restaurants, etc.

27



Product Name: Outdoor LED Silicone Neon Light Strip 6*12mm

Specifications: Red/Green/Blue/Yellow/Orange/White/Warm White/Ice Blue

Function: Single color, continuous

Adapter: Compatible with a 12V adapter (the strip does not include an adapter)

Dimensions: 6*12mm

Waterproof Rating: IP65

Light Strip Material: Silicone with adhesive backing

Wiring: Red and black wire

Product Specifications: 5 meters/reel

Number of LEDs: 144 pieces/meter

Input/Output Voltage: 12V

Remote Control Range: No remote control required

Applications: Home and office, shopping malls, hotels, restaurants, construction and decoration projects, etc.



28



Product Name: Kerosene Bottle Adapter COB Flame Sleeve
Specifications: 8m (10 lights), 3m extension cord, 0.5m distance between lights
Function: Flickering flame
Adapter Specifications: EU 5V (customizable)
Lamp Base Specifications: E26
Lamp Housing Specifications: S14
Waterproof Rating: IP65
Lamp Cord Specifications: 0.5mm² copper wire, 5.5mm outer diameter
Input/Output Voltage: 100-240V/5V
Remote Control Range: No remote control required
Applications: Gardens, pool parties, cafes, restaurants, etc.

29



Product Name: S14 Adapter 5V, 5m, 10-Light Flame Warm White Steady-On Light String
Specifications: 5m, 10-Light Warm White
Function: Warm White Steady-On
Adapter Specifications: 5V (Customizable)
Lamp Base Specifications: E26 (Customizable)
Lamp Housing Specifications: S14
Waterproof Rating: IP44
Lamp Housing Material: Transparent PET Housing, Matte White Light Guide
Cord Specifications: 2 x 20AWG 0.5A Flat Wire
Cord Material: PVC + ABS + Copper + Steel
Input/Output Voltage: 100-240V/5V
Remote Control Range: No remote control required
Applications: Camping, Gardens, Pool Parties, Cafes, Restaurants, etc.

30



Product Name: European Standard 5V 5m, 0.5m Spacing, 10 S14WW Kerosene Flame Light String
Specifications: Warm White
Function: Warm White Steady On
Lamp Base: E26 (Customizable)
Lamp Housing: S14
Waterproof Rating: IP44
Lamp Housing Material: Transparent PET, Matte White Light Guide
Lamp Cord: 2 x 20AWG 0.5A Flat Wire
Lamp Cord Material: PVC + ABS + Copper + Steel
Input/Output Voltage: 100-240V/5V
Remote Control Range: No remote control required
Applications: Camping sites, gardens, pool parties, cafes and restaurants

31



Product Name: US 12V, 48ft, 36-inch G60 Striped Housing, PET E26, RGB + WW, 15-lamp, three-wire, four-pin marquee light string

Specifications: 15 meters, 15 lights / RGB + WW

Functions: 20 programs + 12 colors + voice control + RF wireless remote control + water marquee

Control Box Dimensions: 7.7*4.2*2.3cm

Adapter Specifications: EU 12V (customizable)

Lamp Base Specifications: E26 (customizable)

Lamp Housing Specifications: G60 strip housing + matte white light guide (customizable)

Waterproof Rating: IP44

Lamp Housing Material: PET

Lamp Cord Size: 3*20AWG


Lamp Cord Material: PVC + ABS + copper + steel

Input/Output Voltage: 100-240V/12V

Remote Control Range: 2 x AA batteries, 8M, RF wireless, 360°

Applications: Gardens, pool parties, cafes and restaurants, etc.

32



Product Name: USB 5V RGBWW 3.5m 10-light cord with 0.25m spacing, E26 S14 matte white housing, black leather cord, IR remote control + Bluetooth app. Specifications: 5m, 10-light warm white.

Functions: USB button + IR remote control + Bluetooth app control.

Adapter Specifications: USB 5V.

Lamp Head Specifications: E26 (customizable).

Lamp Housing Specifications: S14.

Waterproof Rating: IP44.

Lamp Housing Material: PET matte white housing.

Lamp Cord Specifications: 3*7*0.12mm.

Lamp Cord Material: Black PVC + ABS + Copper + Steel.

Input/Output Voltage: 5V.

Remote Control Range: IR remote control.

Applications: Camping sites, gardens, pool parties, cafes and restaurants.

33



Product Name: European Standard 3.2V Eight-Function 13-meter String Light with 20 Lights at 0.5-meter Spacing, G50 E17, Cool White and Black Leather Cord

Specifications: Cool White

Functions: Cool White, Eight Functions

Lamp Base: E17 (Customizable)

Lamp Housing: G50

Waterproof Rating: IP44

Lamp Housing Material: Transparent PET

Lamp Cord Size: 2*7*0.12mm

Lamp Cord Material: PVC+ABS+Copper+Steel

Input/Output Voltage: 100-240V/3.2V

Remote Control Range: No Remote Controller

Applications: Camping Sites, Gardens, Pool Parties, Cafes and Restaurants

34



Product Name: European 24V, 8m (including 3m extension cable), 0.5m spacing, 10 lights, G50 color housing, PET E26RGYB flat light string. **Specifications:** 15m, 15 lights, RGB + WW.

Functions: Red, Green, Yellow, and Blue (steady on).

Control Box Dimensions: None.

Adapter Specifications: European 24V (customizable).

Lamp Base Specifications: E26.

Lamp Housing Specifications: G50 color housing.

Waterproof Rating: IP44.

Lamp Housing Material: PET.

Lamp Cord Size: 2 x 24AWG.

Lamp Cord Material: PVC + ABS + Copper + Steel.

Input/Output Voltage: 100-240V/24V.

Applications: Gardens, pool parties, cafes, restaurants, etc.

35



Product Name: European 24V, 8m (including 3m extension cable), 0.5m spacing, 10-light G50 transparent PET E26WW flat light string

Function: Warm white steady light

Control box dimensions: None

Adapter specifications: European 24V (customizable)

Lamp base specifications: E26

Lamp housing specifications: G50 transparent housing

Waterproof rating: IP44

Lamp housing material: PET

Lamp cord specifications: 2 x 24AWG

Lamp cord material: PVC + ABS + copper + steel

Input/output voltage: 100-240V/24V

Application scenarios: Gardens, pool parties, cafes and restaurants, etc.

36



Product Name: USB 5V Bluetooth Smartphone Lighting String, 15 LEDs/11.1m (Includes 1.1m Extension Cord), S14 RGBWW LED White Base, Transparent Cord
Functions: USB Button + IR Remote Control + Bluetooth App Control

Adapter Specifications: USB 5V

Lamp Base Specifications: E26 White (Customizable)

Lamp Housing Specifications: S14

Waterproof Rating: IP44

Lamp Housing Material: PET Matte White

Cord Size: 3*7*0.14mm

Cord Material: Transparent PVC + ABS + Copper + Steel

Input/Output Voltage: 5V

Remote Control Range: IR Remote Control

Applications: Camping Sites, Gardens, Pool Parties, Cafes and Restaurants, etc.

03 Outdoor decorative lighting





工作电压24V-240V，供电方式可选AC直插、太阳能板或适配器电源，多种外壳以及颜色效果变换展示，可以实现多功能展示、定时，亮度调节等功能。为不同的场景营造合适的氛围。

Working voltage 24V-240V, power supply mode can be selected as AC direct plug, solar panel or adapter power supply, with a of shell and color effects display, it can achieve multi-functional display, timing, brightness adjustment and other functions. Create a suitable atmosphere for different scenes.



AC light string



AC light string: working voltage 110V-240V, the length and color of the light string can be customized according to the demand the light head has both versions with and without drooping lines, matching a variety of bulb styles, with ETL, UL, CE and other certifications.



DC RGBW light string



Working voltage 5V-24V, power supply mode can be selected as solar panel or adapter power supply, RGBW running light string has a variety of colors and effect changes display, supports control methods such as remote control, mobile APP, audio control function, can achieve timing, brightness adjustment and other functions. a suitable atmosphere for different scenes.



Light string



工作电压24V-240V，供电方式可选AC直插、太阳能板或适配器电源，多种外壳以及颜色效果变换展示，可以实现多功能展示、定时，亮度调节等功能。为不同的场景营造合适的氛围。

Working voltage 24V-240V, power supply mode can be selected as AC direct plug, solar panel or adapter power supply, with a of shell and color effects display, it can achieve multi-functional display, timing, brightness adjustment and other functions. Create a suitable atmosphere for different scenes.



String of star lights



Working voltage 3V-240V, we added LED beads inside the main line, the string of lights can be fully illuminated, power supply can be selected as AC direct plug, solar panel or adapter power supply, with a variety of colors and effect changes display, support control methods such as remote control, mobile APP, control function, can achieve timing, brightness adjustment and other functions.



G40 light string



Work voltage 3V-240V, power supply mode AC plug-in type, adapter power supply, solar version, can be customized length, and bulb density of the string lights, safe certification (such as CE, UL, RoHS, etc.) to ensure safe use of electricity.



ST38 light string



Work voltage 3V-240V, power supply mode AC plug-in type, adapter power supply, solar version, can be customized length, and bulb density of the string lights, safe certification (such as CE, UL, RoHS, etc.) to ensure safe use of electricity.



Luminous pipe lights



Working voltage 3V-240V, power supply mode can be selected as AC direct plug, solar panel or adapter power supply, can be customized a variety of lengths, colors, styles, supports control methods such as remote control, mobile APP, audio control function, can achieve timing, brightness adjustment and other functions.

Luminous pipe lights



工作电压5V-24V，供电方式适配器电源、太阳能款，可定制长度、颜色和LED灯珠密度。

Working voltage 5V-24V, power supply mode adapter power, solar version, can be customized length, color and LED light density



Eave lights



工作电压5V-24V，供电方式适配器电源，可以多种长度、颜色、款式定制，支持控制方式遥控器，以实现定时，亮度调节等功能。

Working voltage 5V-24V, power supply mode adapter power supply, can be customized in a variety of lengths, colors, styles, support control remote control, to achieve timing, brightness adjustment and other functions




Injection leather wire light string

5V transparent wire fantasy light string, pure copper wire core, 5m/33 lights and 10m/66 lights options, light distance 15cm, USB controller ZENGGE Bluetooth controller.



04 Mini LED String



Mini LED String

01



Product Name: European 24V, 8m (including 3m extension cable), 0.5m spacing, 10 lights, G50 color housing, PET E26RGYB flat light string.

Specifications: 15m, 15 lights, RGB + WW.

Functions: Red, Green, Yellow, and Blue (steady on).

Control Box Dimensions: None.

Adapter Specifications: European 24V (customizable).

Lamp Base Specifications: E26.

Lamp Housing Specifications: G50 color housing.

Waterproof Rating: IP44.

Lamp Housing Material: PET.

Lamp Cord Size: 2 x 24AWG.

Lamp Cord Material: PVC + ABS + Copper + Steel.

Input/Output Voltage: 100-240V/24V.

Applications: Gardens, pool parties, cafes, restaurants, etc.

02



Product Name: European 24V, 8m (including 3m extension cable), 0.5m spacing, 10-light G50 transparent PET E26WW flat light string

Function: Warm white steady light

Control box dimensions: None

Adapter specifications: European 24V (customizable)

Lamp base specifications: E26

Lamp housing specifications: G50 transparent housing

Waterproof rating: IP44

Lamp housing material: PET

Lamp cord specifications: 2 x 24AWG

Lamp cord material: PVC + ABS + copper + steel

Input/output voltage: 100-240V/24V

Application scenarios: Gardens, pool parties, cafes and restaurants, etc.

03



Product Name: USB 5V Bluetooth Smartphone Lighting String, 15 LEDs/11.1m (Includes 1.1m Extension Cord), S14 RGBWW LED White Base, Transparent Cord

Functions: USB Button + IR Remote Control + Bluetooth App Control

Adapter Specifications: USB 5V

Lamp Base Specifications: E26 White (Customizable)

Lamp Housing Specifications: S14

Waterproof Rating: IP44

Lamp Housing Material: PET Matte White

Cord Size: 3*7*0.14mm

Cord Material: Transparent PVC + ABS + Copper + Steel

Input/Output Voltage: 5V

Remote Control Range: IR Remote Control

Applications: Camping Sites, Gardens, Pool Parties, Cafes and Restaurants, etc.



Mini LED String

04



05



06



07




08



09



Mini LED String



Product Name: Solar Multifunctional Meteor Flame Light String, 7.5m, 15 Lights
Functions: 8 Modes + Remote Control
Solar Panel Button Function: Switchable between 8 Modes
Solar Panel Dimensions: 85x105mm
Battery Voltage and Capacity: 18650 Lithium 3.7V 1200mAh
Charge/Discharge Time: 6-8 hours / 6-8 hours
Charge Method: USB or Solar
Lamp Head Size: E12 (Customizable)
Waterproof Rating: IP65
Lamp Housing Material: PET
Lamp Cord Size: SPT 0.5mm²
Input/Output Voltage: 3V
Remote Control Range: 8m, 360°
Light String Dimensions: 1.7m Extension Cord, 0.4m Distance Between Lights




Product Name: Solar Multifunctional Meteor Flame Light String, 7.5m, 15 Lights
Functions: 8 Modes + Remote Control
Solar Panel Button Function: Switchable between 8 Modes
Solar Panel Dimensions: 85x105mm
Battery Voltage and Capacity: 18650 Lithium 3.7V 1200mAh
Charge/Discharge Time: 6-8 hours / 6-8 hours
Charge Method: USB or Solar
Lamp Head Size: E12 (Customizable)
Waterproof Rating: IP65
Lamp Housing Material: PET
Lamp Cord Size: SPT 0.5mm²
Input/Output Voltage: 3V
Remote Control Range: 8m, 360°
Light String Dimensions: 1.7m Extension Cord, 0.4m Distance Between Lights



Product Name: Solar Multifunctional Meteor Flame Light String, 7.5m, 15 Lights
Functions: 8 Modes + Remote Control
Solar Panel Button Function: Switchable between 8 Modes
Solar Panel Dimensions: 85x105mm
Battery Voltage and Capacity: 18650 Lithium 3.7V 1200mAh
Charge/Discharge Time: 6-8 hours / 6-8 hours
Charge Method: USB or Solar
Lamp Head Size: E12 (Customizable)
Waterproof Rating: IP65
Lamp Housing Material: PET
Lamp Cord Size: SPT 0.5mm²
Input/Output Voltage: 3V
Remote Control Range: 8m, 360°
Light String Dimensions: 1.7m Extension Cord, 0.4m Distance Between Lights

05 Spare Parts



Solar panels



Solar style chandelier can be used with 1200mA, 2400mA, 5400mA batteries, 24V voltage function: 8 modes can be switched, brightness and time can be adjusted



Plug Products



拥有多种插头类型，美式两插三插 欧规插头 英规插头 法国工具插等等多种防水头，同时拥有多款插头认证，ETL UL VDE CE 3C等等。

With a variety of plug types, American two-plug three-plug, European plug, British plug, French tool plug and other multiple waterproof heads and at the same time, it has a variety of plug certifications, ETL UL VDE CE 3C and so on.



Adapter Products



The adapter is available with or without a remote control, with multiple modes to adjust the brightness of the light and switch between different modes.





Thank you



WhatsApp



WeChat

Email:hilda@yihonglighting.com

Tel:+86 19200655679 +8613957948765

Web:www.yihonglighting.com

Zhongshan Yihong Lighting Co., Ltd.

4th Floor-2, No. 46, Gufeng North Road, Caoyi Village, Guzhen Town,Zhongshan City,China

